

You are scheduled for testing at the following location:

□ 7505 Glenview Drive, Suite G, North Richland Hills, TX 76180

915 S. Main Street, Suite A, Fort Worth, TX 76104

Please contact our office at 817-284-9225 if you have any questions.

___ Pulmonary Function Tests

- Do not use any inhalers or nebulizers **24-48 hours** prior to your test.
- Do not use any caffeine **4 hours** prior to your test.
- Do not smoke or use nicotine patches **4 hours** prior to your test.
- Do not eat **2 hours** prior to your test.

_ Pulmonary Stress Test

• Wear clothes and shoes that are comfortable.

___ Allergy Skin Test

- Do not use prescription or over-the-counter medications that contain <u>antihistamines</u> or <u>sleep aids</u> **3-4 days** prior to your test.
- Do not use beta-blockers **1 day** prior to your test.
- <u>Review the list of medications to discontinue on the reverse side of this page.</u>
- Alert our office if the following conditions are applicable to you as skin testing may be postponed or an alternate allergy test may be ordered:

Recent asthma flare up (chest tightness, increased cough, or wheezing) Current use of antidepressant medication

Pregnancy Clinical history of anaphylaxis reaction or hives

This Page is Only Applicable to Allergy Test Patients

Below is a list of medications to discontinue at least 3-4 days prior to your allergy test. Do not discontine antidepressants, anti-anxiety, or other psychiatric medications without approval from Dr. Nair and your prescribing physician. Contact our office at 817-284-9225 with any questions.

ACTIFED (4 DAYS)D A CHEWABLENYQUILSOMINEX (3 DAYS)ADAPIN (12 DAYS)DA IINYTOL (3 DAYS)SUDAFED PLUS (3 DAYS)ALKA SELTZER PLUSDAYQUILOPTIMINETAVIST (3 DAYS))
	,
ALLEGRA DECONAMINE OPTIVAR TELDRIN	
ALLERCHLOR (3 DAYS) DESLORATADINE (5 DAYS) ORNADE TEMARIL	
ALLEREST DEXBROMPHENIRAME ORTHOXICOL TERFENADINE	
ALLERHIST (10 DAYS) DIMETANE PAMPRIN THERA FLU	
ANTIVERT (7 DAYS) DIMETAPP PATANASE (7 DAYS) TOFRANIL	
ASTELIN (7 DAYS) DIPHEDRYL (3 DAYS) PBZ TRIAMINIC	
ASTEPRO (7 DAYS) DIPHEN 3 DAYS PEDIACARE TRIAMINICIN	
ATARAX (10 DAYS) DIPHENHYDRAMINE PERIACTIN (7 DAYS) TRIMEPRAZINE	
ATROHIST DORCOL PHENERGAN (7 DAYS) TRINALIN (3 DAYS)	
AZATADINE DOXEPIN PHENINDAMINE TRIPELENNAMINE HCL	
B C COLDS DRISTAN PHENINDAMINE TRIPROLISINE HCL	
BENEDRYL (3 DAYS) DRIXORAL (3 DAYS) PHENYLTOLOXAMINE TUSSEND	
BREXIN DURA VENT DA POLARAMINE TUSSIONEX	
BROMFED EFFIDAC PREMYSN PMS TWILITE (3 DAYS)	
BROMPHENIRAMINE EXTENDRYL PROMETHAZINE (3 DAYS) TYLENOL ALLERGY / SIN	US
CALM-AID (3 DAYS) FEDAHIST PROREX TYLENOL COLD TABS	
CARBOXINOXAMINE FEXOFENADINE PYRILAMINE TYLENOL PM (3 DAYS)	
CEROSE-DM 4-WAY COLD TABLETS PYRROXATE UNISOM (3 DAYS)	
CETIRIZINE 5 DAYS GENAHIST (3 DAYS) QUELIDRINE VICKS CHILDREN'S NYQ	UIL
CHERACOL PLUS HISMANAL (6 WEEKS) QUINTADRILL (10 DAYS) VICKS FORMULA 44	
CHERACOL SINUS HYCOMINE COMP. REZINE (10 DAYS) VISTANIL	
CHLOAMINE (3 DAYS) HYDRAMINE RIDRAMAN (3 DAYS) VISTARIL CAPS & SUSPE	INSION
CHLORTRIMETON (3 DAYS) HYDROXYZINE HCL ROBITUSSIN NIGHT RELIEF XYZAL (7 DAYS)	
CHLORAFED HYDROXYZINE RONDEC ZONALON (14 DAYS)	
CHLORPHENRAMINE ISOCLOR RU-TUSS ZYRTEC (4 DAYS)	
CHLORPROMAZINE KRONOFED RYNA	
CLARINEX (7 DAYS) LORATADINE (5 DAYS)	
CLARITIN (7 DAYS) MEDIFLU RYNATUSS ALOMIDE	
CODIMOL MIDOL SCOT-TUSSIN LIVOSTIN	
COMHIST MIZOLASTINE SELDANE (10 DAYS) OPTIVAR	
COMPAZINE NALDECON SEMPREX D PATANOL	
COMPOZ (3 DAYS) NOLAHIST SINAREST EMADINE	
COMTREX NOLAMINE SINE-OFF PATADAY	
CONTAC NOVAFED A SINGLET ELESTAT	
CORICIDIN NOVAHISTINE DH SINUBID NAPHCON-A	
CYPROHEPTADINE HCL NU-MED (3 DAYS) SINULIN OPTRON-A SINUTAB VISINE & VISINE A	